Notice of Allowability	Application No.	Applicant(s)
	10/614,755	MCQUISTIAN ET AL.
	Examiner	Art Unit
	Mark T. Le	3617
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to Applicant's response filed on October 4, 2006.		
2. The allowed claim(s) is/are <u>1-18</u> .		
<ul> <li>3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some* c) None of the: <ol> <li>Certified copies of the priority documents have been received.</li> <li>Certified copies of the priority documents have been received in Application No.</li> <li>Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).</li> </ol> </li> <li>* Certified copies not received:</li> </ul>		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
1)  hereto or 2)  to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
ldentifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)	5. Notice of Informal P	atant Application
<ol> <li>Notice of References Cited (PTO-892)</li> <li>Dotice of Draftperson's Patent Drawing Review (PTO-948)</li> </ol>	6. Interview Summary	• •
3. ☐ Information Disclosure Statements (PTO/SB/08),	Paper No./Mail Dat 7. ⊠ Examiner's Amendn	e
Paper No./Mail Date 4.	8. 🛛 Examiner's Stateme	ent of Reasons for Allowance
of Biological Material	9.	

Application/Control Number: 10/614,755 Page 2

Art Unit: 3617

## **EXAMINER'S AMENDMENT**

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

2. Authorization for this examiner's amendment was given in a telephone interview with David Jenkins on October 17, 2006.

In claim 1, the second line from the bottom of the claim, "being substantially straight" has been changed to -- being substantially straight without any significant bent portion --.

In claim 7, the second line from the bottom of the claim, "being substantially straight" has been changed to -- being substantially straight without any significant bent portion --.

3. During the interview conducted on October 17, 2006, the examiner proposed to further define the instant claimed invention in that each of the rods, as recited in independent claims 1 and 7, is substantially straight without any significant bent portion, so as to better define the instant claimed invention over the prior art. In response, Mr. Jenkins accepted the examiner's proposed amendment.

Application/Control Number: 10/614,755 Page 3

Art Unit: 3617

## **REASONS FOR ALLOWANCE**

- The following is an examiner's statement of reasons for allowance: The prior art 4. of record does not suggest the combination of features, as recited in independent claims 1 and 7; wherein, each of the operating spread rod, the operating connecting rod, the lock spread rod, the lock connecting rod, and the point detector connecting rod is substantially straight without any significant bent portion. In the structure of McQuistian '276, it is noted that some rods are substantially straight, while other, i.e. rod 44, is not. Rod 44 of McQuistian, as shown in Figure 6, is substantially straight for the most part of the rod, but there is a significant bent portion at the end of the rod; thereore, McQuistian does not meet the limitation of claims 1 and 7. As to the structure of Hartung '579, it is noted that there is a significant bend portion of rod 24, as shown in Figure 4. During an updated search for prior art, the examiner noted that there were many other prior art structures that generally have all of the rods, as recited in the instant claims, except that at least one of such rods has at least one significant bent portion so as to accommodate other components in a rail switch. None of such prior art of record teaches an arrangement of an operating spread rod, an operating connecting rod, a lock spread rod, a lock connecting rod, and a point detector connecting rod, as defined in the instant claims 1 and 7, wherein, all of said rods are substantially straight without any significant bent portion.
- 5. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably

Art Unit: 3617

accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Mark T. Le whose telephone number is 571-272-6682. The examiner can normally be reached on Mon-Fri (9-6), except day-off Wed.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Samuel Morano can be reached on 571-272-6684. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Mark T. Le Primary Examiner Art Unit 3617

mle 10/17/06